Date: 1/17/2017

## **HigherOne**

Summary Table: VPAT™

## **Voluntary Product Accessibility Template®**

Criteria

Supporting Features

**Remarks and explanations** 

## Section 1194.21

location, and text	
iocation, and text	
attributes.	
สแบบแฮง.	

completion and submission of the form, including all directions and cues.

Section 1194.22 Web-based Internet information and applications

an available geometric shape.		
(g) Row and column headers shall be identified for data tables.	Partially Supported	Some tabular content is difficult to read with a screenreader.

(h) Markup shDC q62.04

the script shall be		
identified with		
functional text that can		
be read by Assistive		
Technology.		
(m) When a web page		
requires that an applet,		
plug-in or other		
application be present		
on the client system to		
interpret page content,	Not Applicable	
the page must provide	Not Applicable	
a link to a plug-in or applet that complies		
with §1194.21(a)		
through (I).		
(n) When electronic	Supported	
forms are designed to	Supported	
be completed on-line,		
the form shall allow		
people using Assistive		
Technology to access		
the information, field		
elements, and		
functionality required		
for completion and submission of the form,		
•		
including all directions and cues.		
(o) A method shall be		
provided that permits		
users to skip repetitive	Not Applicable	
• •		
navigation links.	Cupported	
(p) When a timed	Supported	
response is required, the user shall be		
alerted and given		
sufficient time to		
indicate more time is		
required.		

## Section 1194.31 Functional Performance Criteria Detail **VPAT**<sup>TM</sup>

**Voluntary Product Accessibility Template®** 

Criteria

Supporting Features Remarks and explanations

(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Supported	
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Supported	